

KNEES



GUARDIAN™

friction brake knee

easy adjustments
stance flexion
remote lock



The Guardian knee is a lightweight mechanical knee joint featuring a friction brake for stance control, stance flexion, and extension assist. The knee is best suited as a rehabilitation tool for new patients to learn standing and walking during the rehabilitation process, and as a permanent knee for low-impact patients. It provides the prosthetist easy adjustability for patient gait-matching without the need to remove the prosthesis. The Guardian also has a remote lock feature that can be disengaged as the patient progresses to provide the full 145 degrees of anatomical motion.

PART NUMBER

GFKA 120

TECH SPECS

MATERIAL

Aluminum

WEIGHT

537 g

WEIGHT LIMIT

275 lbs

FLEXION RANGE

145°

WARRANTY

2 years

L-CODES*

L5812, L5845,
L5850, L5925

*The listing of codes with these products should not be construed as a guarantee for coverage or payment. Ultimate responsibility for the coding of services/products rests with the individual practitioner.

HARDWARE & TOOLS

	PART NUMBER	DESCRIPTION
	CP KELK	Knee External Lock Kit (included with knee)
	CP LK	Lanyard Kit (included with knee)
	CP HK 4	Hex Key, 4mm

VICTOR™

pneumatic knee

easy adjustments
stance flexion
variable cadence



Step victoriously. The Victor knee is a single axis, pneumatic knee joint featuring a friction brake to control stance phase. This knee is the ideal solution for low to moderate activity users, as it can adjust to accommodate both slow and fast paced walking. It also works well for patients looking to increase their activity level after rehabilitation. The Victor is a safe, economical option that instills confidence and freedom in patients.

PART NUMBER



VPKA 200

HARDWARE & TOOLS

TECH SPECS

MATERIAL	WEIGHT
Aluminum	710 g
WEIGHT LIMIT	FLEXION RANGE
275 lbs	145°
WARRANTY	L-CODES*
2 years	L5822, L5845, L5850

*The listing of codes with these products should not be construed as a guarantee for coverage or payment. Ultimate responsibility for the coding of services/products rests with the individual practitioner.

PART NUMBER	DESCRIPTION
	CP KSB Knee Stop Bumper Replacement Kit
	CP HK 4 Hex Key, 4mm

CAPITAL™

hydraulic knee

easy mode selection

simple adjustments

fresh water friendly

K3/4



The Capital is a hydraulic, single-axis knee joint that is easy to use for both patients and clinicians. Featuring smooth and responsive hydraulics during both swing and stance phase, this knee effortlessly accommodates the variable gait of the user. Durable, sleek, and fresh water friendly,* the Capital is handmade in America with care. This knee also features easy mode selection, stumble assist technology, and standard 4mm adjustments for simple set up. The Capital is a strong, reliable solution for moderate to high activity users.

* Some restrictions apply.

PART NUMBER

CHKA

COLOR*

DISTAL ATTACHMENT**

G, J, R or W	300 or 350
---------------------	-------------------

*(G)rey, (J)et Black, (R)ed, or (W)hite.

** (300) 34 mm Tube Clamp, (350) Pyramid Adapter

TECH SPECS

DISTAL ATTACHMENT

34mm Pylon Receiver
Pyramid

WEIGHT LIMIT

330 lbs | 150 kg

OVERALL HEIGHT

9 in | 230 mm

WARRANTY

3 years

WEIGHT

980 g (Pylon Receiver)
990 g (Pyramid)

FLEXION RANGE

130°

DOMES TO KNEE CENTER



.67 in | 17 mm

L-CODES*



L5828, L5845,
L5850, L5925

*The listing of codes with these products should not be construed as a guarantee for coverage or payment. Ultimate responsibility for the coding of services/products rests with the individual practitioner.

RECOMMENDED ADAPTERS (34MM TUBE CLAMP)

PART NUMBER	DESCRIPTION
 TA S250 34	250 mm Low-Profile Tube Adapter, 34 mm diameter, Stainless Steel
 TA S450 34	450 mm Low-Profile Tube Adapter, 34 mm diameter, Stainless Steel

RECOMMENDED ADAPTERS (PYRAMID)


PART NUMBER	DESCRIPTION
 TA T250 30	250 mm Low-Profile Tube Adapter, 30 mm diameter, Titanium
 TA T430 30	430 mm Low-Profile Tube Adapter, 30 mm diameter, Titanium
 TC T 30	Tube Clamp, 30 mm diameter, Titanium

REPLACEMENT PARTS

PART NUMBER	DESCRIPTION
CP CRK	Cylinder Replacement Kit
CP KPJ	Knee Pad Replacement Kit, Jet Black
CP KPW	Knee Pad Replacement Kit, White
CP KPG	Knee Pad Replacement Kit, Gray
CP KPR	Knee Pad Replacement Kit, Red

PART NUMBER	DESCRIPTION
CP LCJ	Knee Lower Cover Replacement Kit, Jet Black
CP LCW	Knee Lower Cover Replacement Kit, White
CP LCG	Knee Lower Cover Replacement Kit, Gray
CP LCR	Knee Lower Cover Replacement Kit, Red

HARDWARE & TOOLS

PART NUMBER	DESCRIPTION
CP KTCS 20	Knee Tube Clamp Screw, M5 x 20mm
CA GELK	Knee Cyanoacrylate Adhesive Gel
 CP HK 4	Hex Key, 4mm